Lenovo

Lenovo L27q-10 65CEGAC1EU

Product

Lenovo L27q-10

Region

EMEA

Color

Warm Sliver

Panel

In-Plane Switching

Display Size

27'

View Area

596.7x335.7 mm

Resolution

2560x1440

Aspect Ratio

16:9

Pixel Pitch

0.2331x0.2331 mm

Dot / Pixel Per Inch

109 dpi

Brightness

350 nits

Contrast Ratio

1000:1

Pixel Response Time

4 ms (extreme mode) / 6 ms/14 ms (typical/off mode)

Color Gamut

99% sRGB

View Angle (H / V)

178 / 178

Stand

Tilt Stand

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

466.3x611.6x237 mm

Power Comsuption (Typical / Maximum)

30W / 40W

Power Adapter

External

Weight (Including Stand)

10.91 lb / 4.95 kg

Warranty

3-year

ENERGY STAR

ENERGY STAR 7.0

TCO

TCO 7.0

EPEAT

Silver

Presets / User Settings

20 / 20

On Screen Display

OSD, 8 Languages

USB Port

None

Speaker

None

Camera

None

Multiple Input

HDMI, DP

Monitor Cable

HDMI

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Operating System

Support Windows 7, Windows 10

Ann Date (mm/yy)

11/16

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a



particular purpose.

https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.



Lenovo™ L27q-10 Monitor

SPECIFICATIONS

PERFORMANCE

Panel Type

In-Plane Switching

Backlight

WIFD

Maximum Brightness Typical : 350 cd/m²

Viewing Angle (H/V at CR 10:1)

Contrast Ratio

: 1000:1 Typical

Dynamic Contrast Ratio

Pixel Pitch

: 0.2331 x 0.2331 In mm : 0.009" x 0.009" In inches

Color Gamut (CIE 1931)

99% sRGB

Display Colors

: 1.07 Billion

Response Time Extreme Mode: 4 ms Typical Mode: 6 ms

Anti-Glare

Yes

Power Consumption

: <30 W : <40 W Typical Maximum Sleep-Mode : <0.5 W Off-Mode

Power Supply External Adapter

Power Voltage (AC Input Voltage) 90 VAC - 264 VAC

Voltage Dynamic Frequency

47 Hz - 63 Hz

DESIGN

Panel Size

Resolution

QHD (2560 x 1440)

Aspect Ratio

Cable Management

Kensington® Lock

Bezel Color

Warm Sliver

Bezel Width (mm / inches)

Top : 2 / 0.08" Bottom : 27.2 / 1.07" : 2 / 0.08 Sides

Tilt Angle : -5° : +22° Front Back

VESA® Mounting

No

Screen Dimensions (W x H)

In mm : 596.7 x 335.7 In inches: 23.49" x 13.22"

Monitor Size (W x D x H)

In mm : 611.6 x 237 x 466.3 In inches: $24.08" \times 9.33" \times 18.36"$

Packaging Size (W x D x H)

In mm : 721 x 149 x 469 In inches: 28.38" x 5.87" x 18.46"

Size Monitor Head Only (W x D x H)

In mm : 611.6 x 39.8 x 371.1 In inches: 24.08" x 1.57" x 14.61"

Stand Base Footprint Area

In mm : 347.3 x 202.2 In inches: 13.67" x 7.96"

Weight

Packed:

Starting at 15.32 lbs (6.95 kg)

Unpacked:

Starting at 10.91 lbs (4.95 kg)

Monitor Head Only:

Starting at 9.92 lbs (4.5 kg)

CONNECTIVITY

Video Input Signals

DisplayPort™ 1.2 HDMI™ 1.4

Video Cables Supplied (Length) HDMI™ (1.8 m)

Audio-out

OSD Languages

English French Italian German Spanish . Japanese Chinese Russian

COMPLIANCE

- · Arsenic-Free Glass
- PVC-Free
- Mercury-Free
- EPEAT™ Silver
- ENERGY STAR® Rating 7.0
- TCO 7.0
- TCO Edge 2.0
- EU RoHS
- China Energy Efficiency Standard (Grade 1)
- · Windows Certification (Windows 10, Windows 7)



















