## Lenovo

## ThinkSmart Core for Microsoft Team Rooms 11LR0005BL

Product

ThinkSmart Core + Controller Kit

Region

EET

Country/Region

Bulgaria

Machine Type

11LR

**TopSeller** 

TopSeller

Processor

Intel Core i5-1145G7E (4C / 8T, 1.5 / 4.1GHz, 8MB)

**Graphics** 

Integrated Intel Iris Xe Graphics

Chipset

Intel SoC Platform

Memory

8GB Soldered DDR4-3200

Storage

256GB SSD M.2 2280 PCIe 3.0x4 NVMe

Display

10.1" Display on ThinkSmart Touch Controller

Touchscreen

10-point Multi-touch

Remote Control

ThinkSmart Touch Controller

Camera

None

Microphone

None

Speakers

None

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.0, vPro

VESA Mount

Integrated VESA Mount

Case Color

Black case with red bottom

**Power Supply** 

90W 89% Adapter

System Management

Intel vPro

Operating System

Windows 10 IoT Enterprise SAC 64, English

Base Warranty

3-year, Onsite

Included Upgrade

First Year Maintenance (5MS0Z44663), 3Y Premier Support Upgrade from 3Y Onsite (5WS0Y57697)

EAN/UPC/JAN

0196119602133

**End of Support** 

N/A

Announce Date

2021-11-02

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2022. All rights reserved.





## **ThinkSmart Core for Microsoft Team Rooms Platform Specifications**

ThinkSmart Core	ThinkSmart Core Full ThinkSmart Core +					rt Core	ThinkSmart Controller		
Kit Options		Room Kit			Controller Kit		Display	10.1" (1280x800), < 340 nits, 16:10 aspect ratio, Anti-Fingerprint, Anti-Glare, support 30° or 60° placement Supports 10-point touch	
	ThinkSmart Co	ThinkSmart Core 1x			1x		Multi-touch		
	ThinkSmart Conf	troller	1x		1x		Sensors Ports	IR sensors for motion detection, up to 3 meters distance and 90° angle  1x USB-C (connect to compute unit, 10m USB-C cable incluided)  1x 3.5mm headphone / mic combo jack,	
	ThinkSmart Ca	am	1x		Noi	None			
	ThinkSmart Bar		1x		Noi	None		1x Kensington Security Slot     Width: 265.5 mm (10.5 inches)	
	Satellite Microph		2x (optional)		Noi		Dimensions	Height: 168.1 mm (6.6 inches)     Depth: 13 mm (0.5 inches) 83.3 mm (3.3 inches) with the stand	
	Raven black case with red bottom						Weight	753.8 g (1.7 lb)	
Base Warranty	Some: 3-year Lend Some: 3-year limit	ovo Prem	nier Support warr	anty				ThinkSmart Cam	
	Joine. 3-year limit		mpute System				Image	8MP 1/1.8" CMOS sensor, up to 1080p@30fps video capture, digital PTZ (Pan / Tilt / Zoom)	
Processor	11th Gen Intel® Co		rocessor				Optics	100° Horizontal FoV, 68° Vertical FoV, 125° Diagonal FoV	
	Processor	Cores /	s / Frequency Cache M		Memory Support	Integrated	Al features	Auto Zoom/Frame, Speaker Tracking, Whiteboard Recognition, People Count	
	110068801		Base/Max(GHz)	Jacile	(Up to)	Graphics	Microphone	2x digital microphone	
	Core i5-1145G7E	4/8	1.5G / 4.1G	8 MB	DDR4-3200	Intel Iris® Xe Graphics	Ports	1x USB-C (connect to ThinkSmart Core compute unit)	
Memory	8GR DDR4.3300	dual-cho	nnel			aprillo	Mounting	Wall mount kit, TV mount kit, and magnetically mount on ThinkSmart Bar	
	8GB DDR4-3200, dual-channel 256GB M.2 SSD (2280) / PCIe NVMe, PCIe 3.0 x4						Dimensions	• Width: 105 mm (4.1 inches)	
	Intel SoC (System on Chip) platform						-	<ul> <li>Height: 36 mm (1.4 inches), 51.7 mm (2 inches) with clamp</li> <li>Depth: 60.5 mm (2.4 inches)</li> </ul>	
	None	511 6111	אימנוטוווו				Weight	220 g (0.5 lb)	
Rear Ports*	• 2x USB 3.2 Gen		or ThinkSamrt Ba	r, one for	ThinkSmart Ca	ım)	3	ThinkSmart Bar	
	<ul> <li>1x USB 3.2 Gen1</li> <li>1x Thunderbolt™ 4</li> <li>1x USB-C 3.2 Gen 1 (connect to ThinkSmart Controller)</li> </ul>						Speaker	Power output 20+20W with 4 speaker units, up to 97dB to cover large meeting room, 250 Hz to 20 KHz frequency range	
	<ul> <li>1x HDMI-in</li> </ul>	`		_ 5.1610	,		Microphone	4 forming mic array with 180° coverage, 300Hz to 8KHz frequency range	
	<ul><li>2x HDMI-out 1.4</li><li>1x Ethernet</li></ul>						Noise Control	Built-in DSP for echo and noise-cancellation	
	1x power connector     Depending on many factors, actual data transfer speed may be lower than theoretical speed						Ports	1x USB-C (USB 2.0, connect to ThinkSmart Core compute unit)     1x AUX in (connect to Mic Pod)	
WLAN	11ac wireless, M.2	2 Card, In	ntel Wireless-AC	9560 (dua	·		Bluetooth	Bluetooth 5.0 (A2DP, SBC, MPEG-4, AAC)	
	combo adapter, Intel vPro technology support, 2x2						Mounting	Wall / Monitor mount kit	
Ethernet	Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Intel Ethernet Connection I219-LM (Jacksonville), Wake on LAN® Intel Active Management Technology 15.0 (Intel AMT 15.0)						Dimensions	<ul> <li>Width: 798 mm (31.4 inches)</li> <li>Height: 56.5 mm (2.2 inches)</li> <li>Depth: 91.3 mm (3.6 inches)</li> </ul>	
Security chip	Discrete TPM 2.0,	TCG Ce	rtified		,		Weight	• Depth: 91.3 mm (3.6 inches) 3.6 kg (7.9 lb)	
Security features	<ul> <li>Kensington Secutive cable connection</li> </ul>		with the integrate	ed cable n	nanagement, ca	an also secure	)  igitt	Satellite Microphone	
	· Power-on, Super	rvisor, ha	rd disk password				Capturing Range	ge 1m 360 degree omni direction	
	Smart USB Prote     Smart usb Prote		10V autocome	809/ DOI	1		Ports	1x Mic out (connect to ThinkSmart Bar)	
	90 watts adapter, VESA Mount Kit	1007 - 24	+ov autosensing,	บช% PSl			_	1x Mic in (connect to next Mic Pod)	
	Width: 226 mm (8)	g a inch-	<u>e)</u>				Dimensions	Width: 100 mm (3.9 inches)     Height: 20 mm (0.8 inches)	
	<ul><li>Width: 226 mm (8</li><li>Height: 37.5 mm</li><li>Depth: 200 mm (</li></ul>	(1.5 inch	nés), 51.7 mm (2	inches) wi	ith the clamp ur	nfolded	Weight	220 g (0.5 lb)	
	1.1 kg (2.4 lb)						7		
	Windows 10 IoT E	nterprise	SAC 64 bit				7		
	nore detailed informa						'	Lenovo, August 20	











