ThinkPad E15 20RD0016BM

Product

ThinkPad E15

Region

EET

Country/Region

Bulgaria

Machine Type

20RD

TopSeller

TopSeller

Processor

Intel Core i7-10510U (4C / 8T, 1.8 / 4.9GHz, 8MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

1x 16GB SO-DIMM DDR4-2666

Storage

512GB SSD M.2 2242 PCIe NVMe 3.0x4

Optane Memory

None

Display

15.6" FHD (1920x1080) IPS 250nits Anti-glare

Touchscreen

None

Ethernet

100/1000M

Optical

None

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.0

WWAN

None

SIM Card

None

Smart Card Reader

None

Monitor Cable

None

Bundled Accessories

None

Case Material

Aluminum (Top), PC / ABS (Bottom)

Camera

720p with ThinkShutter

Microphone

2x, Array

Color

Black

Keyboard

Backlit, Bulgarian

Fingerprint Reader

Touch Style

NFC

None

TPM

Discrete TPM 2.0

Battery

Integrated 45Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64, English

Bundled Software

None

Base Warranty

1-year, Depot

Bundled Service

None

EAN/UPC/JAN

0194552764432

End of Support

2025-11-01

Announce Date

2019-10-01

Recommended Services

Best

5Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36181)

Better

4Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36121)

Good

3Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36151)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkPad E15 Platform Specifications

Processor	10th Generation Intel® Core™ i3 / i5 / i7 Processor * i7-10710U is NOT available in EMEA	Dimensions Weight	WxDxH: 14.49" x 9.65" x 0.74"; 368mm x 245mm x 18.9mm Starting at 4.3 lb / 1.9 kg
	Processor Number # of Cores # of Threads Base Frequency Max Turbo Frequency Cache Frequency Memory Types Processor Graphics i3-10110U 2 4 2.1 GHz 4.1 GHz 4MB	Case material L	Black or silver Display cover: Aluminum; Bottom: PC/ABS plastic
	33-10110U 2 4 2.1 GHz 4.1 GHz 4MB 15-10210U 17-10510U 4 8 1.6 GHz 4.9 GHz 8MB 1.8 GHz 4.9 GHz 8MB 1.1 GHz 4.7 GHz 12MB 1.1 GHz 4.7 GHz 12MB 1.1 GHz 1.1 GHz	Smart card reade Media reader Ports	rNone None One USB 2.0, two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and DisplayPort),
Graphics	Integrated Graphics Discrete Graphics (Memory) Intel UHD Graphics - Intel UHD Graphics AMD Radeon 625 (2GB GDDR5) Intel UHD Graphics AMD Radeon RX 640 Graphics (2GB GDDR5)		HDMI 1.4b, Ethernet (RJ-45), headphone / microphone combo jack, security keyhole * Depending on many factors, actual data transfer speed may be lower than theoretical speed None None
	supports external digital monitor via HDMI or USB Type-C; supports three independent displays; Max resolution: 3840x2160@60Hz (USB Type-C); 3840x2160@30Hz (HDMI)	Audio support	 HD720p camera, fixed focus HD720p camera with ThinkShutter camera privacy, fixed focus HD Audio, Synaptic® CX11880 codec / stereo speakers, 2W x 2, Dolby® Advanced Audio /
Memory	Intel SoC (System on Chip) platform 16GB max / 2666MHz DDR4, one DDR4 SO-DIMM socket	 Kevboard	dual array microphone, headphone / microphone combo jack
Display	Size Resolution Type Surface Brightness Aspect Ratio Contrast Natio Angle	UltraNav™	6-row, spill-resistant, multimedia Fn keys, numeric keypad, optional LED backlight TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad
	15.6" FHD (1920x1080) TN Anti-glare 220 nits 16:9 400:1 90° 15.6" FHD (1920x1080) IPS Anti-glare 250 nits 16:9 700:1 170°	Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole Integrated model: discrete TPM 2.0, TCG Certified Discrete model: firmware TPM 2.0 integrated in chipset
Multi-touch	None	System Mgt	None
	Up to two drives (one M.2 SSD and one HDD) • HDD / SATA 6.0Gb/s, 2.5" wide, 7mm high, Active Protection System™	NFC	r Optional: Touch style fingerprint reader on power button None
	 M.2 2280 SSD / SATA 6.0Gb/s M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 or PCIe 3.0 x 4 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 Intel Optane™ Memory H10 with Solid State Storage, M.2 2280, PCIe NVMe 3.0 x 4 	Battery Max battery life AC adapter	Integrated Li-ion 45Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter MobileMark® 2014: 12.2 hr * Battery life varies significantly with settings, usage, & other factors 45W or 65W USB-C AC adapter
<i>(optional)</i> Optical	 Intel Optane memory, PCIe NVMe, PCIe 3.0 x 2 Intel Optane™ Memory integrated with SSD, PCIe NVMe 3.0 x 4 None 	Operating system (optional)	Windows® 10 Home 64 Windows 10 Pro 64 Windows 10 Pro in S mode
Ethernet	Gigabit Ethernet Connection, Realtek R8111GUS	Limited warranty	1-year mail-in repair service
	One of the following, configurable by model: Realtek® RTL8822CE, Wi-Fi 2x2 802.11ac + Bluetooth 5.0, M.2 card Intel Wireless-AC 9560, Wi-Fi 2x2 802.11ac + Bluetooth 5.0, M.2 card		1-year depot repair service 1-year depot with 2-year system board repair service 1-year limited onsitte service
	Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.0, M.2 card None	ī	MIL-STD-810G military testing
WWAN SIM card	None	Environment	EPEAT™ Silver; ENERGY STAR® 7.1; RoHS-compliant









