Lenovo

Lenovo G34w-10 66A1GACBEU

Product

Lenovo G34w-10

Machine Type

66A1

Region

EMEA

Display Size

34"

View Area

797.22x333.72 mm

Panel

Vertical Alignment

Aspect Ratio

21:9

Resolution

3440x1440

Pixel Pitch

0.232x0.232 mm

Dot / Pixel Per Inch

109 dpi

View Angle (H / V)

178 / 178

Pixel Response Time

1ms (with MPRT) / 4 ms (Extreme mode) / 6 ms (Typical mode) / 14 ms (off mode)

Refresh Rate

144 Hz

Brightness

350 nits

Contrast Ratio

3000:1

Color Gamut

72% NTSC

Multiple Input

HDMI, DP

USB Port

None

Camera None

Speaker

None

Power Consumption (Typical / Maximum)

43W / 50W

Power Adapter

Integrated

Stand

Tilt, Height Adjust Stand

Color

Black

Side Bezel Width

1.9 mm

Dimensions with Stand (HxWxD)

541.84x808.6x259.96 mm

Weight (Including Stand)

17.85lb / 8.1kg

Monitor Cable

DP

ENERGY STAR

None

TCO

None **EPEAT**

None

Low Blue Light / Eye Comfort

Low Blue Light &Flicker Free

Base Warranty

3-year

Operating System

Support Windows 7, Windows 10

Presets / User Settings

27 / 27

On Screen Display

OSD, 8 Languages

Sync Technology

AMD Radeon FreeSvnc

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Announce Date

2020-01-03

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



LENOVO G34w-10 MONITOR

Specifications

DISPLAY

Panel Size

Screen Dimensions 797.22 mm x 333.72 mm

Panel Type 3-side NearEdgeless VA

Curvature 1500R

Backlight WLED

Aspect Ratio 21:9

Resolution 3440 x 1440

Pixel pitch 0.232 x 0.232 mm

Dot/Pixel Per Inch (DPI/PPI)109

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 1ms with MPRT

Refresh Rate

Brightness (typical) 350 cd/m²

Contrast Ratio (typical)

Dynamic Contrast Ratio

Color Gamut 72% NTSC

Color Support (typical)
16.7 Million

Anti-glare Yes

CONNECTIVITY

Video Signal 1 x HDMI 2.0 1 x DP 1.4

Audio Signal 1 x Audio Out (3.5 mm)

SPECIAL FEATURES

Sync Technology AMD Radeon FreeSync™*

POWER

Power Consumption (typ./max) 43W / 50W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

MECHANICAL

Tilt Angle (front/back)

Lift (max range) 130 mm

VESA Mount Capability Yes (100 x 100 mm)_

Kensington Lock Slot

Cable Management

Bezel Color Black

Bezel Width (side)

Bezel Width (top/bottom) 1.9 / 17.8 mm

DIMENSION

Size Packed (D x H x W, mm/inch) 281 x 489 x 943 mm / 11.06 x 19.25 x 37.12 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 259.96 x 411.84 x 808.6 mm / 10.23 x 16.21 x 31.81 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position) 259.96 x 541.84 x 808.6 mm / 10.23 x 21.33 x 31.81 inches

Weight Packed (kg/lbs.) 11.3 kg / 24.91 lbs.

Weight Unpacked (kg/lbs.) 8.1 kg / 17.85 lbs.

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x DP cable (1.8 m) Quick setup guide

CERTIFICATION

TÜV Rheinland Low Blue Light / TÜV Rheinland Flicker Free Yes











© 2020 Lenovo. All rights reserved. Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3,1 Gent; 10 Gbit/s for USB 3,1 Gent 2 & 20 Gbit/s for USB 3.2. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic ryros, Evalphic errors, Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices prive, RTP, NC 27709, Attr. Dept, ZPA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

^{*}AMD Radeon FreeSync™ can only work with AMD Radeon™ graphics card

^{**}Moving Picture Response Time (MPRT) improves the response time and reduces motion blur in the monitor. Enabling MPRT will disable AMD FreeSync™, and you may notice a negligible flicker











