

Tech Specs

Technical Information

Number of Screens	Screen Size Class
1	22"
Viewable Screen Size	Screen Mode
21.5"	Full HD
Panel Technology	Response Time Details
Vertical Alignment (VA)	<ul style="list-style-type: none">5ms GTG (Fast)8ms GTG
Aspect Ratio	Pixel Pitch
16:9	0.2493 mm x 0.2410 mm
Horizontal Viewing Angle	Vertical Viewing Angle
178°	178°
Mount Type	Backlight Technology
Panel Mount	LED Edgelight System
HDCP Supported	Tilt Angle
Yes	-5° to 21°
Features	Stand Adjustments
<ul style="list-style-type: none">BFR FreePVC FreeCable Lock SlotArsenic-free GlassMercury-freeSecurity LockAnti-glareEye Comfort Technology	Tilt
Stand Included	Glass Hardness

Video

Maximum Resolution 1920 x 1080	Standard Refresh Rate 100 Hz
Color Supported 16.7 Million Colors	Native Contrast Ratio 3000:1
Brightness 250 cd/m ²	Color Gamut 72% NTSC (CIE 1931)
Maximum Preset Resolution 1920 x 1080 at 100Hz	Pixel Per Inch (PPI) 103

Interfaces/Ports

Connectivity
Video port
<ul style="list-style-type: none">1 HDMI port (HDCP 1.4) (Supports up to FHD 1920 x 1080 100 Hz as per specified in HDMI 1.4)1 DisplayPort 1.2 (HDCP 1.4) port (Supports up to FHD 1920 x 1080 100 Hz)1 VGA port

Environmental Conditions

Operating Temperature Range 32°F (0°C) to 104°F (40°C)	Non-operating Temperature Range -4°F (-20°C) to 140°F (60°C)
Operating Humidity Range	Non-operating Humidity Range

10% to 80% (Non-condensing)

5% to 90% (Non-condensing)

Maximum Operating Altitude
16400 ft

Maximum Non-operating Altitude
40000 ft

Power Description

Input Voltage Range
100V AC to 240V AC

Operating Power Consumption
11.9 W

Standby Power Consumption
0.3 W

Off-Mode Power Consumption
0.3 W

Frequency

- 60 Hz
- 50 Hz

Maximum Power Consumption
25 W

Voltage Current
700 mA

Physical Characteristics

VESA Mount Compatible
Yes

VESA Mount Standard
100 x 100

Height
11.36"

Width
19.36"

Depth
1.98"

Height with Stand
14.84"

Width with Stand
19.36"

Depth with Stand
6.73"

Bezel Width (Top)

Bezel Width (Bottom)

0.26"

Bezel Width (Left)

0.26"

Weight (Approximate)

5.05 lb

Stand Width

8.74"

Weight with Stand (Approximate)

6.44 lb

0.68"

Bezel Width (Right)

0.26"

Stand Height

6.85"

Stand Depth

7.73"

Miscellaneous

Package Contents

- Pro 22 Monitor
- Stand
- Quick Start guide
- Safety Information

Energy Star

Yes

TCO Certified

Yes

Dell Display Manager Compatibility

Yes

Remote Asset Management

Dell Command

Cables Included

- Power cable
- 1 x DisplayPort-DisplayPort cable - 1.80 m

Environmentally Friendly

Yes

Environmental Certification

- TCO Certified Edge
- Electronic Product Environmental Assessment Tool Gold (EPEAT Gold)
- Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)

Energy Efficiency Certification

ENERGY STAR 8.0

Environmental Compliance

Restriction of Hazardous Substances (RoHS)

Warranty

Limited Warranty

3 Years

Additional Warranty Information

3 Years Limited Hardware and Advanced Exchanged Service