Tech Specs

Technical Information

Number of Screens

1

Viewable Screen Size

27"

Panel Technology

In-plane Switching (IPS) Technology

Response Time Details

• 8ms GTG

• 5ms GTG (Fast)

Pixel Pitch

0.3114 mm x 0.3114 mm

Vertical Viewing Angle

178°

Backlight Technology

LED Edgelight System

Tilt Angle

-5° to 21

Stand Adjustments

Tilt

Glass Hardness

3H

Screen Size Class

27"

Screen Mode

Full HD

Response Time

5 ms

Aspect Ratio

16:9

Horizontal Viewing Angle

178°

Mount Type
Panel Mount

HDCP Supported

Yes

Features

· Eye Comfort Technology

• Mercury-free

• Arsenic-free Glass

• PVC Free

BFR Free

Cable Lock Slot

• Security Lock

Anti-glare

Stand Included

Yes

Video

Maximum Resolution

1920 x 1080

Color Supported

16.7 Million Colors

Brightness

 300 cd/m^2

Maximum Preset Resolution 1920 x 1080 at 100Hz Standard Refresh Rate

100 Hz

Native Contrast Ratio

1,000:1

Color Gamut

72% NTSC (CIE 1931)

Pixel Per Inch (PPI)

81

Interfaces/Ports

Connectivity

Video port

- 1 HDMI port (HDCP 1.4) (Supports up to FHD 1920 x 1080, 100 Hz)
- 1 DisplayPort 1.2 port (HDCP 1.4) (Supports up to FHD 1920 x 1080, 100 Hz)

Environmental Conditions

Operating Temperature Range

32°F (0°C) to 104°F (40°C)

Operating Humidity Range

10% to 80% (Non-condensing)

Maximum Operating Altitude

16400 ft

Non-operating Temperature Range

-4°F (-20°C) to 140°F (60°C)

Non-operating Humidity Range

5% to 90% (Non-condensing)

Maximum Non-operating Altitude

40000 ft

Power Description

Input Voltage Range

100V AC to 240V AC

Standby Power Consumption

0.3 W

Frequency

• 60 Hz

• 50 Hz

Voltage Current

1.5 A

Operating Power Consumption

14.80 W

Off-Mode Power Consumption

0.3 W

Maximum Power Consumption

28 W

Physical Characteristics

VESA Mount Compatible

Yes Height

14.2"

Depth

1.9"

Width with Stand

24.06"

Bezel Width (Top)

0.26"

Bezel Width (Left)

0.26"

Weight (Approximate)

7.87 lb

Stand Width

9.65"

Weight with Stand (Approximate)

10.03 lb

VESA Mount Standard

100 x 100

Width

24.1"

Height with Stand

17.89"

Depth with Stand

7.41"

Bezel Width (Bottom)

0.53"

Bezel Width (Right)

0.26"

Stand Height

7.53"

Stand Depth

7.41"

Miscellaneous

Package Contents

Energy Star

• Dell Pro 27 Monitor

- Stand
- · Quick Start guide
- · Safety Information

TCO Certified

Yes

Remote Asset Management

Dell Command

Environmental Certification

- Electronic Product Environmental Assessment Tool Gold (EPEAT Gold)
- TCO Certified Edge
- Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)

Environmental Compliance

Restriction of Hazardous Substances (RoHS)

Dell Display Manager Compatibility

Yes

Yes

Environmentally Friendly

Yes

Energy Efficiency Certification

ENERGY STAR 8.0

Cables Included

- Power cable
- 1 x DisplayPort-DisplayPort cable 1.80 m

Warranty

Limited Warranty

3 Years

Additional Warranty Information

3 Years Limited Hardware and Advanced Exchanged Service