Tech Specs

Technical Information

Number of Screens

1

Viewable Screen Size

27"

Panel Technology

In-plane Switching (IPS) Technology

Response Time Details

• 8ms GTG

• 5ms GTG (Fast)

Pixel Pitch

0.3114 mm x 0.3114 mm

Vertical Viewing Angle

178°

Backlight Technology

LED Edgelight System

Stand Adjustments

Tilt Angle

-5° to 21°

Screen Size Class

27"

Screen Mode

Full HD

Response Time

5 ms

Aspect Ratio

16:9

Horizontal Viewing Angle

178°

Mount Type

Panel Mount

HDCP Supported

Yes

Features

- Eye Comfort Technology
- Mercury-free
- Arsenic-free Glass
- PVC Free
- BFR Free
- Cable Lock Slot
- Security Lock
- Anti-glare

Stand Included

Tilt

Glass Hardness

3H

Video

Maximum Resolution

1920 x 1080

Color Supported

16.7 Million Colors

Brightness

 300 cd/m^2

Maximum Preset Resolution

1920 x 1080 at 100Hz

Standard Refresh Rate

100 Hz

Native Contrast Ratio

1,000:1

Color Gamut

72% NTSC (CIE 1931)

Pixel Per Inch (PPI)

81

Interfaces/Ports

Connectivity

Video port

- 1 HDMI port (HDCP 1.4) (Supports up to FHD 1920 x 1080, 100 Hz)
- 1 DisplayPort 1.2 port (HDCP 1.4)
 (Supports up to FHD 1920 x 1080, 100 Hz)
- 1 VGA port

Environmental Conditions

Operating Temperature Range

32°F (0°C) to 104°F (40°C)

Operating Humidity Range

10% to 80% (Non-condensing)

Maximum Operating Altitude

16400 ft

Non-operating Temperature Range

-4°F (-20°C) to 140°F (60°C)

Non-operating Humidity Range

5% to 90% (Non-condensing)

Maximum Non-operating Altitude

40000 ft

Power Description

Input Voltage Range

100V AC to 240V AC

Standby Power Consumption

0.3 W

Frequency

• 60 Hz

• 50 Hz

Voltage Current

1.5 A

Operating Power Consumption

14.80 W

Off-Mode Power Consumption

0.3 W

Maximum Power Consumption

28 W

Physical Characteristics

VESA Mount Compatible

Yes

VESA Mount Standard

100 x 100

Height

14.2"

Width

24.1"

Depth

1.9"

Height with Stand

17.89"

Width with Stand

24.06"

Depth with Stand

7.41"

Bezel Width (Top)

0.26"

Bezel Width (Bottom)

0.53"

Bezel Width (Left)

0.26"

Bezel Width (Right)

0.26"

Weight (Approximate)

7.87 lb

Stand Height

7.53"

Stand Width

9.65"

Stand Depth

7.41"

Weight with Stand (Approximate)

10.03 lb

Miscellaneous

Package Contents

- Dell Pro 27 Monitor
- Stand
- · Quick Start guide
- Safety Information

Energy Star

Yes

TCO Certified

Yes

Dell Display Manager Compatibility

Yes

Remote Asset Management

Dell Command

Environmentally Friendly

Yes

Environmental Certification

 Electronic Product Environmental Assessment Tool Gold (EPEAT Gold)

TCO Certified Edge

Energy Efficiency Certification

ENERGY STAR 8.0

 Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)

Environmental Compliance

Restriction of Hazardous Substances (RoHS)

Cables Included

- Power cable
- 1 x DisplayPort-DisplayPort cable 1.80 m

Warranty

Limited Warranty

3 Years

Additional Warranty Information

3 Years Limited Hardware and Advanced Exchanged Service