

Acer X Serie

Acer X1328

The projector for every requirement



- Light technology: 240 watt UHP
- Resolution: WXGA (1,280 x 800 px)
- Brightness: 5,000 (Standard), 4,000 (Eco) ANSI Lumen
- Contrast: 20,000:1
- Life (hr.): 5,000 (standard), 10,000 (eco), 15,000 (ExtremeEco) hours
- Warranty: Please refer to your local Acer website.



















Acer X1328 SPECIFICATIONS







Ordering Information

 Model
 X1328

 Part Number
 MR.JX611.001

 EAN
 4710886147916

Technical Specifications

 Projection technology
 DLP 3D Ready & HDMI 3D

 DLP Chip
 0.65" BrilliantColor™

 Version
 DarkChip™ 3 DMD

 Resolution
 WXGA (1,280 x 800 px)

 Contrast
 20,000:1

 Displayable Colours
 1.07 Billion Colors

 $\begin{array}{ll} Brightness & 5,000 \, (Standard), \, 4,000 \, (Eco) \, ANSI \, Lumen \\ Focus \, / \, Focal \, distance & F = 2.41 \,^{\circ} \, 2.53 \, / \, F = 21.85 \,^{\circ} \, 24.00 \, mm \end{array}$

 Projection size (diagonal)
 0.75 ~ 7.62 m

 Projection distance
 1.00 ~ 10.00 m

 Throw ratio
 1.54 ~ 1.72:1

 Zoom / Digital-Zoom
 1:1.1x / 2x

Horizontal / Vertical frequency 15 ~ 100 kHz / 24 ~ 120 Hz

Projection Modes Front- / Rear- & Front-Ceiling- / Rear-Ceiling-Projection

Light technology 240 watt UHP

Life (hr.) 5,000 (standard), 10,000 (eco), 15,000

(ExtremeEco) hours 1x 3 watt

Speaker 1x 3 watt
Weight / incl. packaging (kg) 2.80 kg / 3.90 kg
Dimensions / Shipping dimensions (mm) 313 x 240 x 114

Dimensions / Shipping dimensions (mm) 313 x 240 x 114 Power Consumption 315 x 240 x 114 275 (standard), 205 (eco), < 0.5 watt

(standby)

 Noise level
 27 dBA (eco)

 Uniformity (%)
 80 %

 Color
 black

Input Ports

 HDMI with HDCP
 1x 1.4

 VGA analog D-Sub
 1x

 Composite Video RCA
 1x

 Audio in (3.5mm)
 1x

Output Ports

 USB Type A
 1x DC out 5V

 Audio out (3.5 mm)
 1x

 D-Sub Out (for Monitor Loop Through)
 1x

Network and Control Ports

RS232 1x

Included Accessory

 Power adapter IEC 320 C13
 1x Euro

 VGA cable 15pol
 1x 1.8 m

 HDMI cable
 1x 1.8 m

 IR remote control
 1x

 Lens cap
 1x

 Quick Start Guide
 1x

Optional Accessory

 Universal ceiling mount short
 4713147892877 / MC.JLC11.002

 Universal ceiling mount long
 4713147892884 / MC.JLC11.003

Warranty

Warranty Please refer to your local Acer website.

Usage recommendation

Usage recommendation Best price-performance for home and office

Projection Distance Calculator

Projection Distance Calculator https://www.acer.com/ac/de/CH/content/

acer-projection-calculator



Acer X1328

APPROPRIATE ACCESSORIE (NOT INCLUDED IN DELIVERY)

Installation



Easily mount your projector to the ceiling with 360° rotation and up to 25° tilt.

Installation



Easily mount your projector to the ceiling with 360° rotation and up to 25° tilt.



Acer X1328

ACCESSORIES AND FEATURES

Acer LumiSense

Acer LumiSense technology uses an ambient light sensor to detect brightness in the projection environment and adjust brightness and color saturation accordingly. In addition, Acer LumiSense also analyzes the projected image and dynamically optimizes the quality of the displayed image.

Automatic Keystone Correction

Thanks to the automatic vertical keystone correction, the Acer projector automatically compensates for trapezoidal distortion if the projector is not positioned exactly vertically and projects a rectangular image.



Auto Ceiling Mount Correction

Auto Ceiling-Mount Correction: The builtin gravity sensor in the Acer projector detects when the projector is mounted overhead on a ceiling and automatically rotates the projection 180° without any additional menu adjustments.



AC Power On

With the AC Power On function, the projector is able to turn on automatically when the projector is powered. You no longer need to turn on the projector separately, but can start the projector directly, for example by turning on the power in the meeting room.



AC power on

Wall Color Compensation

Wall-Color Compensation: Best image quality enables wall color correction on colored projection surfaces such as black-boards and wallpaper. 5 optimised wall colours can be compensated easily and without any further settings via the menu for best picture quality.



Auto Shutdown

The Auto Shutdown function automatically shuts down the Acer projector, if no input signal is received after a preset time. This function can be set individually via the menu and helps to save power and lamp hours.



HDMI 3D

HDMI 3D: The integrated HDMI 1.4a standard allows 3D content to be transferred from suitable playback devices such as 3D Blu-ray players, 3D set-top boxes and 3D game consoles without the need for an additional PC. For example, Acer 3D shutter glasses Bluray 3D movies and 3D TV shows can be viewed in your living room up to 7.62 meters (300") diagonal.

HDMI Power On

With the HDMI Power On function, the projector is able to turn on automatically when the projector receives a signal via HDMI or VGA. You no longer need to start the projector separately, but can simply switch on your notebook, receiver or game console and the projector will automatically switch on as well

PIN Security

Acer PIN Security provides the ability to set a PIN to protect the Acer projector from unauthorized use and theft. A lost PIN can only be reset by the Acer Service after ownership verification.



Original 24p

Experience true cinema at 24 frames per second. The Acer Blu-Ray projector reproduces films in the original cinema format as they were shot on the film set. See 24p movies through the eyes of the director.



Acer ColorBoost 3D

Acer ColorBoost 3D: Acer ColorBoost 3D ist die innovative Kombination von einem ständig verbesserten Bildverarbeitungsalgorithmus, dem neuesten DLP-Chipsatz, einem optimierten Design des 6-Segment Farbrad sowie einer hochentwickelten Lichtsteuerungstechnologie. Dadurch sind Acer Projektoren in der Lage absolut naturgetreue Farben über den gesamten Lebenszyklus sowohl im 2D- als auch im 3D-Modus zu projizieren.