

PIXMA TS7750i

THE SMART, HIGH-QUALITY 3-IN-1 WITH ADF AND STUNNING PRINTS

A fast, high-quality printer with ADF that seamlessly slots into your home life thanks to its compact size and streamlined controls.



- **Simple, intuitive UI**
Enjoy effortless operation with the streamlined, customisable Switch UI system, which tailors available functions to your needs: work, study or lifestyle
- **Fast printing**
Get your documents quickly with fast print speeds of 15ipm (mono) and 10ipm (colour), and print a borderless 4x6" photo in just xx seconds
- **Outstanding print quality**
The PIXMA TS7750i's FINE print head technology results in excellent print quality for a compact printer, with rich gradation and reduced graininess
- **Mobile printing**
Printing from mobile devices couldn't be easier, thanks to support for Apple AirPrint, Mopria for Android and the Canon PRINT app
- **Superb productivity**
Save time with smart productivity features including a 35-sheet ADF, one-push copy, automatic two-sided printing and scan to smartphone
- **Wireless connectivity**
Print wirelessly from a wide range of devices by connecting to your home network, or connect straight to the printer with Wireless Direct



High-speed printing



Borderless Photo Printing



FINE Cartridge



2-way



6.7 cm / 2.7" Touch



Wireless Printing

PRODUCT RANGE



Canon PIXMA
TS7750i

Canon PIXMA
TS7750i

Canon PIXMA
TS7650i



Canon PIXMA
TS7650i

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS7750i

GENERAL SPECIFICATIONS

Functions

Wi-Fi, Print, Copy, Scan, Cloud

PRINTER SPECIFICATIONS

Print Resolution

Up to 1200^[1] x 1200 dpi

Print Technology

2 FINE Cartridges (Black and Colour)

Mono Print Speed

Approx. 15.0 ipm^[2]

Colour Print Speed

Approx. 10.0 ipm^[2]

Photo Print Speed

Borderless 10x15cm : Approx. 19 seconds^[2]

Borderless Printing

A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10",
Card Size (91 mm x 55 mm), Square (89 mm x 89 mm),
Square (127 mm x 127 mm)

Two Sided Printing

Auto Duplex Print (A4, LTR - Plain Paper)

CONSUMABLES AND INK YIELDS

Standard Ink Cartridges

PG-585 (Black)
CL-586 (Colour)

Optional XL Ink Cartridges

PG-585XL (Black)
CL-586XL (Colour)

Maintenance cartridge

MC-G06 (User Replaceable)

Cartridge Yield (Plain paper)

A4 colour documents printing^[3]

Black: 180 pages
Black XL: 300 pages
Colour: 180 pages
Colour XL: 300 pages
10x15cm photo^[3]
Colour: 65 pages
Colour XL: 109 pages

Cartridge Yield (Photo print)

PAPER SUPPORT

Paper Types

Plain Paper(64 g/m² - 105 g/m²),
Canon Red Label Superior(WOP111)
Canon Océ Office Colour Paper(SAT213)
Photo Paper Pro Platinum (PT-101),
Photo Paper Pro Luster (LU-101),
Photo Paper Plus Semi-gloss (SG-201),
Glossy Photo Paper "Everyday Use" (GP-501)
Matte Photo Paper (MP-101),
Photo Paper Plus Glossy II (PP-201)
Dark Fabric Iron on Transfers (DF-101),
Light Fabric Iron on Transfers (LF-101)

Maximum Paper Input

Rear Tray: Max. 20 sheets (photo paper) or
Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)
ADF: A4, LTR = 35, LGL = 5, others = 1

Automatic Document Feeder

Up to 35 Sheets (1-sided)

Paper Sizes

Rear Tray: A4, A4 Art paper, A5, B5, LTR, LTR Art
paper, LGL, #10 Envelope, DL Envelope,
Card Size
(91 mm x 55 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10",
Square
(89 mm x 89 mm, 127 mm x 127 mm),
Custom Size
(width: 55 mm - 215.9 mm, length: 89 mm - 1200 mm)

Paper Weight

Front Cassette: A5,A4,B5,LTR
Plain Paper: 64 g/m² - 105 g/m², or supported
genuine Canon papers

Canon paper: max paper weight : approx. 300 g/m²
(Photo Paper Pro Platinum PT-101)

SCANNER SPECIFICATIONS

Scanner Type

Flatbed, ADF and CIS colour scanner

Scanner Resolution (Optical)

1200 x 2400 dpi^[4]

Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit
Greyscale: 16 bit / 8 bit

Maximum Document Size

Flatbed: A4, LTR (216 x 297mm)
ADF: A4, LTR, LGL

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. TBD sec.^[5]
sESAT: Approx. TBD ipm^[5]
99 copies max.

Multiple Copy

Copy Functions

Document Copying, Photo Copying, Borderless
copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame
erase copy (Flatbed only), ID copy, Oversized copy,
Tiling copy, Manual two-sided copy with ADF,
Collated copy (ADF only)

Copy Zoom

25 - 400%
Fit to page

INTERFACE

Display Type & Size

2.7 inch/6.7cm LCD(Touch Screen, Color)

Display Languages

33 Languages Selectable: Japanese/English
(mm & inch)/German/French/Italian/Spanish/Dutch/
Portuguese/Norwegian/Swedish/Danish/Finnish/
Russian/Czech/Hungarian/Polish/Slovene/Turkish/
Greek/Simplified Chinese/Traditional Chinese/
Korean/Indonesian/Slovakian/Estonian/Latvian/
Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/
Croatian/Vietnamese

CONNECTIVITY

Standard Interface

Hi-Speed USB (B Port)
Wi-Fi: IEEE802.11 b/g/n^[8]
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP
Wireless LAN Frequency Band: 2.4GHz/5GHz
Canon PRINT app^[9]

Mobile Apps

Easy-PhotoPrint Editor app^[10]
Creative Park app^[11]

Printer Features

Easy-PhotoPrint Editor Software^[12]
PIXMA Cloud Link^[13]
Canon Print Service Plugin (Android)^[14]
Apple AirPrint^[15]
Wireless Direct^[16]
Mopria (Android)^[17]
PosterArtist Web

SOFTWARE

Supported Operating Systems

Windows 11, Windows 10, Windows 8.1,
Windows 7 SP1

Operation can only be guaranteed on a PC with
pre-installed Windows 7 or later.

macOS 10.15.7 ~ macOS 13

Supported Mobile Systems

iOS, iPadOS, Android, ChromeOS^[18]

Operational Requirements

Display: 1024 x 768 XGA

PHYSICAL FEATURES

Weight

approx.7.3 kg

Dimensions (W x D x H)

With the trays retracted approx. 374 x 350 x 208 mm
With the trays extended: Approx. 374 x 605 x 283 mm
approx. 48.0(A)^[6]

Acoustic Noise Levels

Recommended Operating Environment

Temperature: 15-30°C
Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.1W
Standby (connected to PC via USB): Approx. 0.9W
(scanning lamp off)
Standby (all ports connected): Approx. 1.5W
(scanning lamp is off)
Time to enter Standby mode: 10 min
Copying: Approx. 22W^[7]

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS7750i

Footnotes:

- [1] Ink droplets can be placed with a minimum pitch of 1/1200 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc, and does not take into account warming up time.
- [6] Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- [7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [8] Wireless printing requires a working network with wireless 802.11 b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [9] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPad touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [10] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [11] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- [12] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [13] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [14] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [15] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [16] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [17] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-installed with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [18] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and The Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2023

THE SMART, HIGH-QUALITY 3-IN-1 WITH ADF AND STUNNING PRINTS

PIXMA TS7750i

A fast, high-quality printer with ADF that seamlessly slots into your home life thanks to its compact size and streamlined controls.

Sales Start Date: October 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS7750i	6258C006	4549292221411

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PG-585	6205C001	4549292223378
CL-586	6227C001	4549292223408
XL size		
PG-585XL	6204C001	4549292223361
CL-586XL	6226C001	4549292223408

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS7750i	6258C006	Individual	1	462.0	280.0	511.0	10.4	7.3
		Pallet (Upper)	16	932.0	1128.0	1026.5	167.3	116.8
		Pallet (Bottom)	16	932.0	1128.0	1026.5	167.3	116.8

What's in the box?

- Canon PIXMA TS7750i
- FINE cartridges
- Power cord
- Manuals and other documents

Canon

Live for the story_