ThinkVision P27h-20 61E9GAT6EU

Product

ThinkVision P27h-20

Machine Type

61E9

Region

EMEA

Display Size

27"

View Area

596.74x335.66 mm

Panel

In-Plane Switching

Aspect Ratio

16:9

Resolution

2560x1440

Pixel Pitch

0.2331x0.2331 mm

Dot / Pixel Per Inch

109 dpi

View Angle (H / V)

178 / 178

Response Time

4 ms (Extreme mode) / 6 ms (Typical mode)

Color Support

16.7 Million

Refresh Rate

60 Hz

Brightness

350 nits

Contrast Ratio

1000:1

Color Gamut

99% sRGB, 99% BT.709, 85% DCI-P3

Curvature

None

Anti-glare

Yes

Video Connector

1x HDMI 1.4, 1x DP 1.2, 1x DP 1.2 Out, 1x USB-C 3.1 Gen 1 (DP 1.2 Alt Mode)

USB Port

4x USB 3.1 Gen 1 (1x BC 1.2)

Camera

None

Microphone

None

Speakers

2x 1W

Power Consumption (Typical / Maximum)

27W / 150W

Power Adapter

Integrated

Stand

Tilt, Swivel, Pivot, Height Adjust Stand

Color

Raven Black

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

576.5x613.8x208 mm / 22.7x24.17x8.19 inches

Weight (Including Stand)

7.35 kg / 16.17 lbs.

Cables Included

USB Type-C to Type-C cable

Environmental Certification

Energy Star Certified, TCO 8.0, TCO Edge 2.0, EPEAT Silver, RoHS

Ergonomic Certification

TÜV Rheinland Eye Comfort

Base Warranty

3-year

Operating System Support

Support Windows 7, Windows 10

Sync Technology

None

Tiny Support / CPU / Platform

None / None / None

Ethernet / Bluetooth / Wireless

Ethernet (10M/100M/1000M) / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Display Ram / Storage / Card Slot

None / None / None

EAN/UPC/JAN

0193638970866 / 193638970866 / None

Announce Date

2020-03-04

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2022. All rights reserved.



Specifications

DISPLAY

Panel Size

27-inch

Screen Dimensions

596.74 mm x 335.66 mm

Panel Type

4-side NearEdgeless In-Plane Switching

Backlight

WLED

Aspect Ratio

Resolution

2560 x 1440

Pixel Pitch

0.2331 x 0.2331 mm

Dot/Pixel Per Inch (DPI/PPI)

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode) 6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

3M:1

Color Gamut

99% sRGB, 99% BT.709,

85% DCI-P3

Color Support (typical)

16.7 Million

Processor LUT

8-bit

Anti-glare

CONNECTIVITY

Video Signal

1 x USB Type-C² Gen1 (DP1.2 Alt Mode) 1 x HDMI 1.4

1 x DP 1.2

1 x DP 1.2 (Out)

Audio Signal

1x Audio Out (3.5 mm)

USB Hub

Yes

Ethernet

Yes (10M/100M/1000M)

USB Upstream

1 x USB 3.1 Gen1 (by USB Type-C Gen1)

USB Downstream

4 x USB 3.1 Gen1 (1 x BC1.2)

MULTI-MEDIA

Integrated Speakers

Yes (2 x 1W)

Optional Soundbar Support

Yes (PN 0A36190)

SPECIAL FEATURES

Factory Calibration

Yes (Avg. Delta E<2)

Software

Lenovo ThinkColour (Lenovo Display Control Center)4

POWER

Power Consumption (typ./max.)

27W / 150W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.3W

ENERGY STAR Power Consumption

 (P_{on}/E_{TEC}) 19W / 61kWh

Power Supply

Internal

USB Type-C Power Delivery (W)

up to 90 W³

Smart Power¹

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5° / 35°

Swivel Angle (left/right)

+45°/ -45°

Lift (max range)

135 mm

Pivot

-90° / 90°

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Cable Management

Bezel Color

Raven Black

Bezel Width (side)

2.0 mm

Bezel Width (top/bottom)

2.0 / 2.0 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

182 x 463 x 722 mm 7.17 x 18.23 x 28.43 inches Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position)

208 x 441.5 x 613.8 mm 8.19 x 17.38 x 27.17 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

208 x 576.5 x 613.8 mm 8.19 x 22.70 x 27.17 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

46.9 x 353.8 x 613.8 mm 1.85 x 13.92 x 27.17 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm) 97.3 mm

Max. Distance from Table to Panel (highest pixel at top of screen, mm) 567.9 mm

Weight Packed (kg/lbs.) 9.55 kg / 21.01 lbs.

7.35 kg / 16.17 lbs.

Weight Unpacked (kg/lbs.)

Weight (monitor head only) (kg/lbs.) 4.87 kg / 10.71 lbs.

Full Container Load (40' STD / 20' STD)

792 / 352 units

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) $1 \times DP$ cable (1.8 m) (NA only)

1 x USB Type-C to Type-C cable (1.8 m) 1 x USB Type-C to Type-A cable (1.8 m) (NA only)

Factory calibration report Quick setup guide

CERTIFICATION

ENERGY STAR Rating

CCC Yes

TCO

TCO Edge 2.0

EPEAT Silver

RoHS (EU 2002/95/EC)

Windows Certification

Windows 7, Windows 10

China Energy Efficiency Standard

TÜV Rheinland Eye Comfort









Windows

The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device ²USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum

Listed as maximum capacity of power delivery. Actual capacity may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. ⁴This software can only be used with Windows 10











