



SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 27" IPS Grade with 178° wide viewing angle LED Backlight (1920 x 1080 FHD)
- Up to Intel® Core™ i7 Processor 14700 Raptor Lake processors with DDR5 memory
- 100Hz Refresh Rate with MSI Anti-Flicker & Less Blue Light technologies protect users' eyes
- The adjustable stand and tool-less design provide a convenient working environment
- Triple display with HDMI™ and DP output ports
- Built-in FHD webcam features Windows Hello improve users' privacy and productivity
- Tobii Aware software protect users' privacy and security
- MSI Cloud Center enables users to create a private cloud and backup files from Android and iOS devices
- dTPM design secures the c ...

FEATURES



100Hz High Refresh Rate

Experience smooth gaming with a blazing fast 100Hz refresh rate, that gives you the upperhand in fast moving games.



Less Blue Light

Effectively reduce blue light which could cause serious long-term damage to your eyes.



DDR5 Memory

Elevate system performance with dual-channel DDR5 technology to enhance efficiency and stability for users.




Tool Less Design

Assemble and disassemble the stand without any tools needed.



MSI Cloud Center

MSI Cloud Center app brings you a private cloud and helps backup files of your mobile devices (Android & iOS)




27" FHD 1080P

View your applications, spreadsheets and more with a perfect 27 inches screen with a breathtaking viewing experience that comes with Full HD resolution



Anti-Flicker technology

MSI Anti-Flicker technology provides a very comfortable viewing experience by reducing the amount of screen flicker.



Adjustable Stand

Adjust the stand to the angle that is most suitable for you to keep yourself work comfortably.



dTPM 2.0 Support


dTPM 2.0 design secures your confidential data with encryption keys.



VESA Mountable

To be mounted on the wall of your office & home with a VESA standard design which can make it completely invisible on a desk.

CONNECTIONS



1. 1 x DC Jack

3. 1 x DisplayPort out (1.4)

5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A

7. 1 x Mic-in

9. 1 x Kensington Lock
2. 1 x HDMI™ out (2.1)

4. 1 x RJ-45 LAN

6. 2 x USB 2.0 Type A

8. 1 x Line-out

10. 2 x USB 3.2 Gen 1 Type A

SPECIFICATIONS

Full loading mode	34 db
Idle mode	27 db
Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Weight (Net kg)	4.63
Weight (Net lbs)	10.21
Weight (Gross kg)	8
Weight (Gross lbs)	17.64
VESA size	75 x 75 mm
Thunderbolt (R)	NA
Lock type	Kensington
S/PDIF	NA
DVI-D out	NA
COM Port	NA
PS/2	NA
mini DP out	NA
DP out	1x (v1.4)



ALL-IN-ONE PCS

PRO AP272P 14M

BE YOUR WINDOW TO THE WORLD



HDMI out	1x (v2.1)
VGA out	NA
USB 2.0 Type A (R)	2
USB 2.0 Type C (R)	NA
USB 3.2 Gen 2x2 Type A (R)	NA
HDMI in	NA
RJ45	1
Card Reader	NA
Mic-in/Headphone-out combo	NA
Headphone-out (HiFi / SPDIF)	NA
Headphone-out	NA
Mic-in	NA
USB 2.0 Type A	2
USB 3.2 Gen 2x2 Type A	NA
Webcam supports Windows Hello or not	Yes
Wireless LAN	Intel Wireless AC 3168 + Bluetooth v4.2 Intel Wireless AC 9462 + Bluetooth v5 Intel Wireless AX201 + Bluetooth v5 Intel Wireless AX210 + Bluetooth v5.2 Intel Wireless AX211 + Bluetooth v5.2 Intel Wireless AX211 + Bluetooth v5.3
LAN	Intel I219-V
Audio Type	2.1 Channel HD Audio
Audio Chipset	Realtek ALC897
Speaker	2 x 3W
Webcam	internal webcam
Optical Drive	NA
M.2 SSD combo (Gen 3 x4 for Core / Gen 2 x4 for Pentium& Celeron)	0
M.2 SSD combo (NVMe PCIe Gen4 x4 / SATA)	0
M.2 SSD (NVMe PCIe Gen4 x4)	0
3.5" Drive Bays	NA
2.5" Drive Bays	1
SATA connectors	2
M.2 SSD combo (NVMe PCIe Gen3 x2 / SATA)	0
M.2 SSD combo (NVMe PCIe Gen3 x4 / SATA)	1
M.2 SSD (NVMe PCIe Gen3 x4)	0
M.2 SSD (SATA)	0
mSATA slots	NA
M.2 SSD (NVMe PCIe Gen3 x2)	0
Number of DIMM Slot	2
Memory Type	DDR4 3200 MHz DDR5 5600 MHz DDR5 4800 MHz
Module Type	SO-DIMM
Max Capacity	Max 64GB
Touch Screen	Non-touch
Adjustment (Tilt)	-4°~20°(+/-2°)
Outer Carton Dimension with Stand (WxDxH) (inch)	27.99 x 9.13 x 20.24
Outer Carton Dimension with Stand (WxDxH) (mm)	711 x 232 x 514
Graphics	Intel UHD Graphics
Battery (Cell)	NA
AC Adapter	120W
USB 3.2 Gen 1 (5G) Type A (R)	2
USB 3.2 Gen 1 (5G) Type A	2
USB 3.2 Gen 1 (5G) Type C (R)	NA
Chipset	Intel® H610 Intel® Q670
USB 3.2 Gen 1 (5G) Type C	NA
Display Colors	16.7M
View Angles	178°(H)/178°(V)



ALL-IN-ONE PCS

PRO AP272P 14M

BE YOUR WINDOW TO THE WORLD



Response Time (GTG)	14ms
Signal Frequency	30~160 KHz(H) / 60~144 Hz(V)
Contrast Ratio	1000:1
USB 3.2 Gen 2 (10G) Type A	NA
Brightness (nits)	250
Pixel pitch	0.2745(H)x0.2745(V)
Resolution	1920x1080 (FHD)
Panel Type	IPS
Curvature	Flat
USB 3.2 Gen 2 (10G) Type C	NA
Active Display Area (mm)	597.88(H)X336.312(V)
Screen Size	27" (69 cm)
USB 3.2 Gen 2x2 (20G) Type C	NA
OS	Windows 11 Home Windows 11 Pro
CPU	Intel® Core™ i7-12700 (25M Cache, 2.10 GHz up to 4.90 GHz) Intel® Core™ i5-12400 (18M Cache, 2.50 GHz up to 4.40 GHz) Intel® Core™ i3-12100 (12M Cache, 3.30 GHz up to 4.30 GHz) Intel® Pentium® Gold G7400 (6M Cache, 3.70 GHz) Intel® Core™ i7-13700 (30M Cache, 2.10 GHz up to 5.20 GHz) Intel® Core™ i5-13400 (20M Cache, 2.50 GHz up to 4.60 GHz) Intel® Core™ i3-13100 (12M Cache, 3.40 GHz up to 4.50 GHz) Intel® Celeron® G6900 (4M Cache, 3.40 GHz) Intel® Core™ i7 processor 14700 (33M Cache, 2.10 GHz up to 5.40 GHz) Intel® Core™ i5 processor 14400 (20M Cache, 2.50 GHz up to 4.70 GHz) Intel® Core™ i3 processor 14100 (12M Cache, 3.50 GHz up to 4.70 GHz) Intel® Core™ i5 processor 14500 (24M Cache, 2.60 GHz up to 5.00 GHz)

Generated 2025-02-18, check for the latest version www.msi.com/datasheet. The information provided in this document is intended for informational purposes only and is subject to change without notice.