

# PRO MP275PG E14

SLIM, SLEEK, SMOOTH



## SELLING POINTS

- PerfectEdge - the 4-side slim bezel design allows users to fully immerse themselves in a multi-display setup
- Enjoy the high-quality entertainment with a smoother 144Hz high refresh rate & AMD FreeSync™.
- TÜV certified display ensures the protection and health of eyesight.
- MSI EyesErgo technology with Anti-Flicker technology helps prevent eye strain and fatigue.
- MSI Eye-Q Check helps have self-check eyes & reminds to take a rest while using the monitor for a long time.
- The stand is designed with ergonomic features, including tilt, swivel, height, and pivot adjustments.
- An adjustable stand with a mini-PC mountable design provides a better ergonomic and tidy setup, enhancing user comfort ...

## FEATURES



### IPS Grade Panel

Instantly optimize the screen colors and brightness to ensure that you enjoy every detail at its best while creating your own on-line video



### 144Hz Game Ready

Thanks to the high refresh rate and adaptive-sync support, our gaming experience becomes completely smooth and free from interruptions.



### Eye-Q Check

Help have self-check eyes & remind to take a rest while using the monitor for a long time.



### VESA Mountable

To be mounted on the wall of your office & home with a VESA standard design which can make it completely invisible on a desk.



### PerfectEdge

Set-up multi-display immensely with the 4-side edgeless design and enjoy the wider and more immersive view.



### EyesErgo

An eye care solution designed with ergonomics in mind.



### Adjustable stand

Adjust the stand to the angle that is most suitable for you to keep yourself work comfortably.



### Built-In Speaker

Built-in speakers allow you to listen clearly without connecting external speakers.

## PRO MP275PG E14

SLIM, SLEEK, SMOOTH

### CONNECTIONS



- 1. 5-way Navigator
- 3. 1x DisplayPort 1.2a
- 5. 1x D-Sub (VGA)
- 7. 1x Headphone-out

- 2. AC-in
- 4. 1x HDMI™ 2.0 (FHD@144Hz)
- 6. 1x Line-in
- 8. Kensington Lock

### SPECIFICATIONS

I/O ports	2.3 1 2.3 1 1 1 2Wx 2 1 2.0 1.2a
Screen Size	27" (68.58 cm)
Active Display Area (mm)	597.888(H) x 336.312(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch (mm)	0.3114(H)x0.3114(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	FreeSync
Dynamic Refresh Rate Activated Range	48~144Hz
HDR (High dynamic range)	HDR Ready
SDR Brightness (nits)	300
Contrast Ratio	1500:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	52.85~158.54 KHz(H) / 48~144 Hz(V)
Refresh Rate	144HZ
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	4ms
View Angles	178°(H)/178°(V)



# PRO MP275PG E14

SLIM, SLEEK, SMOOTH

sRGB (CIE1976 area percentage/overlap)	116%/93%
Adobe RGB (CIE1976 area percentage/overlap)	98%/83%
DCI-P3 (CIE1976 area percentage/overlap)	90%/87%
Surface Treatment	Anti-glare
Touch Screen	Non-touch
Display Colors	16.7M
Color bit	8 bits (6 bits + FRC)
Lock type	Kensington Lock
Power type	Internal Power Board
Power Input	100~240V, 50/60Hz
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-45° ~ 45°
Adjustment (Height)	0 ~ 130 mm
Adjustment (Pivot)	-90° ~ 90°
VESA Mounting	100x100mm
Stand with Integrated Mini PC Mount	v
Weight (Net kg)	6.11
Weight (Net lbs)	13.47
Weight (Gross kg)	8.54
Weight (Gross lbs)	18.83
Product Dimension without Stand (WxDxH) (mm)	611.70 x 51.61 x 355.53
Product Dimension without Stand (WxDxH) (inch)	24.08 x 2.03 x 14.
Accessories	1 4 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0 1
Note	V V V 1920 x 1080 (Up to 144Hz) 1920 x 1080 (up to 144Hz) 1920 x 1080 (Up to 60Hz) C13

Generated 2026-05-20, check for the latest version [www.msi.com/datasheet](http://www.msi.com/datasheet). The information provided in this document is intended for informational purposes only and is subject to change without notice.