

Display

Diagonal Size

75"

Resolution

3,840 x 2,160

Brightness (Typ)

500 nit

Viewing Angle (H/V)

178/178

Color Gamut

72% (NTSC)

H-Scanning Frequency

30~81 kHz

V-Scanning Frequency

48~75 Hz

Operation Time Support

24/7

Panel Type

VA

Pixel Pitch (HxV)

0.429 x 0.429mm

Contrast Ratio

4,000:1

Response Time

8ms

Glass Haze

25%

Maximum Pixel Frequency

594 MHz

Contrast Ratio (Dynamic)

Mega

Connectivity

HDMI In

3

Version of HDMI

2

Version of HDCP

2.2

IR In

Yes

Audio Out

Stereo Mini Jack

DP In

1

Version of DP

1.2

USB

2

Audio In

No

RS232 In

Yes

RS232 Out

Yes

RJ45 In

Yes

WiFi

Yes

Bluetooth

Yes

Power**Power Supply**

AC100-240 V 50/60 Hz

Power Consumption (On Mode)

214.5 W

Power Consumption (Sleep Mode)

0.5 W

Dimension**Set Dimension (WxHxD)**

1682.3 x 960.4 x 28.5 mm

Package Dimension (WxHxD)

1839 x 1113 x 180 mm

Weight**Set Weight**

33.4 kg

Package Weight

44.1 kg

Operation Conditions**Temperature**

0°C~ 40°C

Humidity

10 ~ 80%, non-condensing

Mechanical Specification**VESA Mount**

400 x 400 mm

Bezel Width

13.4mm (even)

Frame Material

Non-Glossy

Optional Feature**Mount**

WMN-B50SC

Stand

STN-L6585C

SoC**OS Version**
Tizen 7.0**Flash Memory Size**
16GB

**Certification and
Compliance****EMC**
Class B**Safety**
60950-1, 62368-1